



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,275	04/13/2004	Magnus Svensson	PS03 0296US1	3485

58342 7590 04/29/2008

WARREN A. SKLAR (SOER)  
RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 EUCLID AVENUE  
19TH FLOOR  
CLEVELAND, OH 44115

EXAMINER
----------

BELANI, KISHIN G

ART UNIT	PAPER NUMBER
----------	--------------

2143

MAIL DATE	DELIVERY MODE
-----------	---------------

04/29/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/823,275	<b>Applicant(s)</b> SVENSSON ET AL.	
	<b>Examiner</b> KISHIN G. BELANI	<b>Art Unit</b> 2143	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 24 January 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

This action is in response to Applicants' amendment filed on 01/24/2008.

**Independent claims 1 and 14 and dependent claims 2, 7, 9, 11-13 and 15-21 have been amended. Claims 1-21 are now pending** in the present application. The applicants' amendments to claims are shown in ***bold and italics***, and the examiner's response to the amendments is shown in **bold** in this office action. **This Action is made FINAL.**

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

**Claims 1-3 and 7** are rejected under 35 U.S.C. 102(b) as being anticipated by **Bird et al. (European Patent Application Publication # EP 1 043 671 A2).**

Consider **claim 1**, Bird et al. show and disclose a multimedia-messaging-***content***-capability-negotiation method (**Fig. 1 that shows a schematic representation for the disclosed method, including MSA 120 acting as a first service, Subscriber Applications 20 as receiving clients and Message Broker 30 as a sending client;**

paragraphs 0007 that discloses a method using a message broker adapted to receive and store information from subscriber systems regarding their capabilities, as well as receiving a message from a publisher application with a request to modify the message to conform to the subscriber system capabilities and then to send the derived messages with modified content to subscriber application programs at the subscriber systems (such as PDAs, mobile telephones, etc.); paragraph 0009 that further lists the capabilities to analyze, including graphic capabilities (e.g. resolution, graphic mode, compression scheme, preferred image format, etc.), audio and video playback capabilities); comprising:

receiving, by a first service, of multimedia-messaging- **content**-capability information from a receiving client (paragraph 0039, lines 10-14 which disclose that when a receiving client requests to register with the message broker for receiving a desired media content, it triggers a message service agent 120 (a first service) at the subscriber system to query a pre-defined set of the subscriber system's capabilities, prompting retrieval of a comprehensive predefined set of system capability information);

transmitting, by the first service, of the multimedia-messaging- **content**-capability information to a sending client (paragraph 0041 which discloses that the retrieved capabilities information and the existing generated requests are then packaged by the message service agent 120 as an XML structured message and sent to the broker); and

evaluating the multimedia-messaging- **content**-capability information by the sending client in order to determine what ~~further action to take relative to communicating with~~ **contents to transmit to** the receiving client (**paragraphs 0042-0043 which disclose that the message broker maps the system capability information included in the received package to pre-defined classes of capability and stores the subject requirements of subscribers in a database; further disclosing in paragraphs 0049-0050 that the stored capability classes are used later to evaluate what contents to transmit to the receiving client**).

Consider **claim 2**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, further comprising:

transmitting, by a second service, of a message from the sending client to the receiving client; and wherein the message is adapted by the sending client in accordance with the multimedia-messaging- **content**-capability information (**Fig. 1, Messaging Manager 90 that functions as a second service; paragraph 0062 which discloses that after evaluating the receiving client's capabilities and selecting requested content, the message broker then forwards, via the messaging manager 90, the derived message to the subscriber who specified this information requirement, thus providing content-type-specific processing of message content based on subscriber system capabilities as well as the user-specified and application-specific requirements**).

Consider **claim 3**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, further comprising opting, by the sending client, to not send a message to the receiving client **(paragraph 0065 which discloses that the message broker uses the specified requirements of the receiving client before determining whether a particular subscriber should receive a message; further disclosing that in addition to the analyzing the multimedia processing capability of the receiving client, the processing by the message broker includes processing subscriber information requirements such as a requirement to be notified of the stock price of a company only when the stock price exceeds a threshold price, thereby disclosing not sending a message to the receiving client in case the content does not meet the receiving client's capabilities or expectation).**

Consider **claim 7**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is adapted to receive multimedia messages **(paragraphs 0049-0050, 0059 which disclose using multimedia processing modules in response to the request from the receiving client for content that includes multimedia content such as video, audio, images, earth maps etc., thereby disclosing that the receiving client is adapted to receive multimedia messages).**

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

**Claims 4, 8, 12 and 13** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Application Publication # EP 1 043 671 A2)** in view of **Vitikainen et al. (US Patent Application Publication # US 2003/0065802 A1)**.

Consider **claim 4**, and **as it applies to claim 2 above**, Bird et al. disclose the claimed method, except specifically disclosing wherein the second service operates in accordance with multimedia messaging services (MMS).

In the same field of endeavor, Vitikainen et al. disclose the claimed method, including wherein the second service operates in accordance with multimedia messaging services (MMS) (**Fig. 1; paragraphs 0018 and 0040 which disclose that the second service (from Server/Gateway 101 to Mobile Terminal 120 as shown in Fig. 1) operates in accordance with multimedia messaging services (MMS)**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide a message transmitting service that operates in accordance with multimedia messaging services (MMS), as taught by Vitikainen et al., in the method of Bird et al., so that the receiving client may be able to receive multimedia content using services of pre-established MMS.

Consider **claim 8**, and **as it applies to claim 7 above**, Bird et al., as modified by Vitikainen et al., further disclose the claimed method, wherein the message is in



accordance with MMS (in Vitikainen et al. reference; Fig. 1; paragraphs 0018 and 0040 which disclose that the message is in accordance with MMS).

Consider **claim 12**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, except wherein the multimedia-messaging-**content**-capability information is included in a user agent profile (UAProf) link in an information presence attribute of the receiving client.

In the same field of endeavor, Vitikainen et al. disclose the claimed method, wherein the multimedia-messaging-**content**-capability information is included in a user agent profile (UAProf) link in an information presence attribute of the receiving client (paragraph 0058 which disclose that if the mobile terminal supports WAP (Wireless Access Protocol) UAProf (User Agent Profile), the mobile terminal provides its detailed multimedia capabilities information according to the UAProf specification).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the multimedia-messaging-**content**-capability information in a user agent profile (UAProf) link in an information presence attribute of the receiving client, as taught by Vitikainen et al., in the method of Bird et al., so that the message broker has access to the user agent profile for determining the capabilities of the receiving client.

Consider **claim 13**, and **as it applies to claim 1 above**, Bird et al., as modified by Vitikainen et al., further disclose the claimed method, wherein the multimedia-

Art Unit: 2152

messaging-**content**-capability information is included in a UAprof element of a client information element of the receiving client (in Vitikainen et al. reference, paragraph 0058 which disclose that when a subscriber requests a multimedia content from a web server, information about the requesting mobile server is also provided through the User Agent Header (UAHeader) field of the WSP (Wireless Service Provider) session, thus disclosing that the multimedia-messaging-**content**-capability information is included in a UAprof element of a client information element of the receiving client).

**Claims 5 and 11** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Application Publication # EP 1 043 671 A2)** in view of **Nielson et al. (US Patent Application Publication # US 2006/0129643 A1)**.

Consider **claim 5**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, except wherein the first service operates in accordance with Wireless Village protocol (WV).

In the same field of endeavor, Nielson et al. disclose the claimed method, wherein the first service (publishing the capabilities of a receiving terminal) operates in accordance with Wireless Village protocol (WV) (paragraphs 0002, 0004 and 0023 which disclose that the first service uses Wireless Village protocol (WV)).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to operate the first service in accordance with Wireless Village protocol (WV), as taught by Nielson et al., in the method of Bird et al., so that the

receiving client may use the pre-established IMPS services for contacting the message broker.

Consider **claim 11**, and **as it applies to claim 1 above**, Bird et al., as modified by Nielson et al., further disclose the claimed method, wherein the multimedia-messaging-**content**-capability information is included in a WV extension field for presence attributes for the receiving client (in Nielson et al. reference, **Fig. 4, presence indicator 50**; paragraph 0064 which discloses that the presence indicator may be an indication of the “registration” presence attribute for the receiving client that uses Wireless Village protocol to register with the first service).

**Claim 6** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Application Publication # EP 1 043 671 A2)** in view of **Nielson et al. (US Patent Application Publication # US 2006/0129643 A1)** and further in view of **Vitikainen et al. (US Patent Application Publication # US 2003/0065802 A1)**.

Consider **claim 6**, and **as it applies to claim 2 above**, Bird et al., disclose the claimed method, except wherein the first service operates in accordance with WV; and the second service operates in accordance with MMS.

In the same field of endeavor, Nielson et al. disclose the claimed method, wherein the first service operates in accordance with WV (paragraphs 0002, 0004 and

0023 which disclose that the first service operates in accordance with WV (Wireless Village) protocol).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to operate the first service in accordance with Wireless Village protocol (WV), as taught by Nielson et al., in the method of Bird et al., so that the receiving client may use the pre-established IMPS services for contacting the message broker.

However, Bird et al., as modified by Nielson et al., do not specifically disclose that the second service operates in accordance with MMS.

In the same field of endeavor, Vitikainen et al. disclose the claimed method, wherein the second service operates in accordance with MMS (**Fig. 1; paragraphs 0018 and 0040 which disclose that the second service (from Server/Gateway 101 to Mobile Terminal 120 as shown in Fig. 1) operates in accordance with MMS).**

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to operate the second service in accordance with MMS, as taught by Vitikainen et al., in the method of Bird et al., as modified by Nielson et al., so that the receiving client may be able to play desired multimedia messages on the mobile device's display.

**Claims 9 and 10** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Application Publication # EP 1 043 671 A2)** in view of **Heck et al. (US Patent Application Publication # US 2005/0064883 A1).**

Consider **claim 9**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, except wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is not adapted to receive multimedia messages.

In the same field of endeavor, Heck et al. disclose the claimed method, wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is not adapted to receive multimedia messages (**Flowchart of Fig. 5, steps 202, 208 that shows that the multimedia-messaging-content-capability information indicates that the receiving client is not adapted to receive multimedia messages; paragraph 0029 which discloses the same details**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to determine from the multimedia-messaging-**content**-capability information that the receiving client is not adapted to receive multimedia messages, as taught by Heck et al., in the method of Bird et al., so that the message broker can attempt to deliver the message portion by any other delivery method within the capabilities of the receiving client.

Consider **claim 10**, and **as it applies to claim 9 above**, Bird et al., as modified by Heck et al., further disclose the claimed method, wherein the message is in accordance with short messaging service (SMS) (**in Heck et al. reference, flowchart of Fig. 5, steps 210, 216 and 218; paragraph 0030 that discloses the same details**).

**Claims 12-13** are further rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Publication # EP 1 043 671 A2)** in view of **Coulombe (U.S. Patent Publication # 7,103,681 B2)**.

Consider **claims 12**, and **as it applies to claim 1 above**, Bird et al. disclose the claimed method, except wherein the multimedia-messaging-**content**-capability information is included in a user agent profile (UApof) link in an information presence attribute of the receiving client.

In the same field of endeavor, Coulombe disclose the claimed method, wherein the multimedia-messaging-**content**-capability information is included in a user agent profile (UApof) link in an information presence attribute of the receiving client (in Coulombe reference, column 1, lines 23-25 which disclose that the multimedia-messaging-**content**-capability information is obtained through a user agent profile (UApof) link of the receiving client).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the multimedia-messaging-**content**-capability information in a user agent profile (UApof) link in an information presence attribute of the receiving client, as taught by Coulombe, in the method of Bird et al., so that the message broker has access to the user agent profile for determining the capabilities of the receiving client.

Consider **claims 13**, and **as it applies to claim 1 above**, Bird et al., as modified by Coulombe, further disclose the claimed method, wherein the multimedia-messaging-**content**-capability information is included in a UAprof element of a client information element of the receiving client (in Coulombe reference, column 1, lines 23-25 which disclose that the multimedia-messaging-capability information is deduced from HTTP/WSP headers such as a User Agent header (UAHEADER in a UAprof element) of the receiving client).

**Claims 14-16 and 19-21** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Publication # EP 1 043 671 A2)** in view of **Nielson et al. (US Patent Application Publication # US 2006/0129643 A1)** and further in view of **Coulombe (U.S. Patent Publication # 7,103,681 B2)**.

Consider **claims 14**, Bird et al., disclose an end-to-end multimedia-messaging-**content**-capability-negotiation system (**Fig. 1 that shows a schematic representation for the disclosed system, including MSA 120 acting as a first service, Subscriber Applications 20 as receiving clients and Message Broker 30 as a sending client; paragraphs 0007 that discloses a system using a message broker adapted to receive and store information from subscriber systems regarding their capabilities, as well as receiving a message from a publisher application with a request to modify the message to conform to the subscriber system capabilities and then to send the derived messages with modified content to subscriber**

**application programs at the subscriber systems (such as PDAs, mobile telephones, etc.); paragraph 0009 that further lists the capabilities to analyze (including graphic capabilities, e.g. resolution, graphic mode, compression scheme, preferred image format, etc., audio and video playback capabilities)).**

However, Bird et al. do not specifically disclose a WV service, wherein the WV service is adapted to receive multimedia-messaging-**content**-capability information from a receiving client; and transmit the multimedia-messaging-**content**-capability information to a sending client; an MMS service, wherein the MMS service is adapted to transmit a message from the sending client to the receiving client; and wherein the message is adapted by the sending client in accordance with the multimedia-messaging-**content**-capability information.

In the same field of endeavor, Nielson et al. disclose a WV service (paragraph 0002 that discloses using the Wireless Village (WV) protocol by a first service for Instant Messaging and Presence Services (IMPS)), wherein the WV service is adapted to: receive multimedia-messaging-**content**-capability information from a receiving client (paragraph 0003 which discloses that Presence Attributes allow a user (a receiving client) to publish attribute information about the user or their terminal, so that other IMPS clients (a sending client) can obtain the attribute information and be informed of changes to the information; paragraph 0023 discloses additional details about a receiving client); and transmit the multimedia-messaging-**content**-capability information to a sending client (paragraphs 0028-0031 that disclose the process of transmitting the multimedia-



messaging-capability information of a receiving client from the server of the first service to a sending client).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide a WV service, wherein the WV service is adapted to receive multimedia-messaging-**content**-capability information from a receiving client; and transmit the multimedia-messaging-capability information to a sending client, as taught by Nielson et al., in the system of Bird et al., so that the receiving terminal is still able to view the content of the transmitted message despite its limited capabilities.

However, Bird et al., as modified by Nielson et al., do not disclose that the system further comprises an MMS service, wherein the MMS service is adapted to transmit a message from the sending client to the receiving client; and wherein the message is adapted by the sending client in accordance with the multimedia-messaging-**content**-capability information.

In the same field of endeavor, Coulombe does show and disclose that the system further comprises an MMS service, wherein the MMS service is adapted to transmit a message from the sending client to the receiving client; and wherein the message is adapted by the sending client in accordance with the multimedia-messaging-**content**-capability information (Fig. 1, a second service MMSC 14, multi-media message signal MMSS 20 and receiving terminal 22; column 1, lines 36-38 which disclose that MMSC tries its best to adapt each media component to a format that is supported by the receiving terminal based on the reported capabilities of the terminal).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide an MMS service, wherein the MMS service is adapted to transmit a message from the sending client to the receiving client; and wherein the message is adapted by the sending client in accordance with the multimedia-messaging-**content**-capability information, as taught by Coulombe, in the system of Bird et al., as modified by Nielson et al., so that the receiving terminal is still able to view the content of the transmitted message despite its limited capabilities.

Consider **claim 15**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, further disclose the claimed system, wherein the sending client may, responsive to receipt of the multimedia-messaging-**content**-capability information, opt to not send a message to the receiving client (in Bird et al. reference, **paragraph 0065 which discloses that the message broker uses the specified requirements of the receiving client before determining whether a particular subscriber should receive a message; further disclosing that in addition to the analyzing the multimedia processing capability of the receiving client, the processing by the message broker includes processing subscriber information requirements such as a requirement to be notified of the stock price of a company only when the stock price exceeds a threshold price, thereby disclosing not sending a message to the receiving client in case the content does not meet the receiving client's capabilities or expectation**).

Consider **claim 16**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, further disclose the claimed system, wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is adapted to receive multimedia messages (in Bird et al. reference, **paragraphs 0049-0050, 0059 which disclose using multimedia processing modules in response to the request from the receiving client for content that includes multimedia content such as video, audio, images, earth maps etc., thereby disclosing that the receiving client is adapted to receive multimedia messages**).

Consider **claim 19**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, further disclose the claimed system, wherein the multimedia-messaging-**content**-capability information is included in a WV extension field for presence attributes for the receiving client (in Nielson et al. reference, **Fig. 4, presence indicator 50**; paragraph 0064 which discloses that the presence indicator may be an indication of the “registration” presence attribute for the receiving client that uses Wireless Village protocol to register with the first service).

Consider **claims 20**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, further disclose the claimed system, wherein the multimedia-messaging-**content**-capability information is included in a user agent profile (UAprof) link in an information presence attribute of the receiving client (in Coulombe reference, column 1, lines 23-25 which disclose that the multimedia-

messaging-capability information is obtained through a user agent profile (UAprof) link of the receiving client).

Consider **claims 21**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, further disclose the claimed system, wherein the multimedia-messaging-**content**-capability information is included in a UAprof element of a client information element of the receiving client (in Coulombe reference, column 1, lines 23-25 which disclose that the multimedia-messaging-capability information is deduced from HTTP/WSP headers such as a User Agent header (UAHEADER in a UAprof element) of the receiving client).

**Claims 17 and 18** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bird et al. (European Patent Publication # EP 1 043 671 A2)** in view of **Nielson et al. (US Patent Application Publication # US 2006/0129643 A1)** and further in view of **Coulombe (U.S. Patent Publication # 7,103,681 B2)** and further in view of **Heck et al. (US Patent Application Publication # US 2005/0064883 A1)**.

Consider **claim 17**, and **as it applies to claim 14 above**, Bird et al., as modified by Nielson et al. and Coulombe, disclose the claimed system, except wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is not adapted to receive multimedia messages.

In the same field of endeavor, Heck et al. disclose the claimed system, wherein the multimedia-messaging-**content**-capability information indicates that the receiving client is not adapted to receive multimedia messages (**Flowchart of Fig. 5, steps 202, 208 that shows that the multimedia-messaging-content-capability information indicates that the receiving client is not adapted to receive multimedia messages; paragraph 0029 which discloses the same details**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to determine from the multimedia-messaging-**content**-capability information that the receiving client is not adapted to receive multimedia messages, as taught by Heck et al., in the system of Bird et al., as modified by Nielson et al. and Coulombe, so that the message broker can attempt to deliver the message portion by any other delivery method within the capabilities of the receiving client.

Consider **claim 18**, and **as it applies to claim 17 above**, Bird et al., as modified by Nielson et al., Coulombe and Heck et al., further disclose the claimed system, wherein the message is in accordance with Short Messaging Service (SMS) (**in Heck et al. reference, flowchart of Fig. 5, steps 210, 216 and 218; paragraph 0030 that discloses that discloses the same details**).

### ***Response to Arguments***

Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any response to this Office Action should be **faxed to (571) 273-8300 or mailed to:**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Art Unit: 2143

**Hand-delivered responses** should be brought to

Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Kishin G. Belani whose telephone number is (571) 270-1768. The Examiner can normally be reached on Monday-Thursday from 6:30 am to 5:00 pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Nathan Flynn can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-0800.

*Kishin G. Belani*

K.G.B./kgb

April 25, 2008

/Kenny S Lin/  
Primary Examiner, Art Unit 2152